

SOLYX® Glass Finishes SX-SC466 Frosted Web



Product Details

SOLYX® SX-SC466 Frosted Web is a textured, embossed static cling film with a decorative pattern of very fine, weblike strands. This fully removable and reusable non-adhesive film is made of durable polypropylene and has a clear release liner. It is recommended for application to interior glass and the inside surface of exterior glass. This film is ideal for privacy, decorative, or architectural applications.

Flammability Rating

This product meets ASTM E84 and is classified as Class A as defined in NFPA 101, Life Safety Code®.

LEED Credit EQ 4.1 Low Emitting Materials, Adhesives & Sealants

This product has zero VOC content according to 40 CFR 59, Subpart D (EPA method 24).

Product Description

SOLYX® SX-SC466 Frosted Web is a textured static cling film with a pattern of very fine, weblike strands. It provides obscured visibility and good light transmission.

Specifications

Product Code	SX-SC466
Product Family	Frosted
Film Type	Polypropylene
Adhesive Type	Non-Adhesive Static Cling
Usage	Interior
Available Width(s)	36"
Thickness	8 mil
IR Transmission	40%
Visible Light Transmission	47%
UV Transmission	11%

Installation and Warranty

Installation

Installation should be in accordance with the manufacturer's installation instructions. This film is applied using the same methods used for installing window tinting films.

Warranty

This **SOLYX®** product will be free from defects in material and manufacture for a period of five (5) years from the date of installation. See warranty information for specific details.

Product Construction

Face Film

Polypropylene

Adhesive

Non-Adhesive Static Cling

Release Liner

Transparent Synthetic

Product Distribution and Contact Information

Distribution

SOLYX® Decorative Films are available through authorized Installing Dealers, Distributors, or directly from Decorative Films, LLC.

Samples submitted upon request.

Contact Information

Decorative Films, LLC

1-888-657-5224

www.decorativefilm.com